Version No.: 2023.12





FMW-ECO Handheld Laser Welding Machine

1

www.hsglaser.com

Company Culture

Intelligent manufacturing changes future

🕞 VALUES

Customer-focused and employee-based

VISION

Become a respectable enterprise in the global metal forming equipment field

Company Profile



13 Global Branches

	J

100+ Countries Covered



4 Manufacturing Bases



 ∇



8,000+ Delivery Capability



FMW-ECO 1000-3000W

Handheld Laser Welding Machine



Technical Parameters

Technical Parameters	FMW-ECO
Power	1000-3000W
Laser Welding Head	Galvanometer single pendulum laser welding joint
Operating System	Hand held welding control system
Dc wire feeder	Standard
Touch Screen	Standard
Machine Overall Dimensions	About710mmx1030mmx1176mm

* Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

Swing Welding Technology

• WOBBLE welding heads have the swing welding model which the facula can be adjusted with strong welding fault tolerance. The technology can compensates for the disadvantage of the small laser welding spot and extends the tolerance range and weld width of the machined part to obtain a better weld formation.





Work-piece welding in one operation

- Simple to operate and easy to train. The work-piece can be welded in one operation.
- The laser head is light, flexible and can weld any part of the work-piece, making welding work more efficient, safe, energy efficient and environmentally friendly.

Dual Temperature and Control chiller

• The machine is self-equipped with dual temperature and control chiller for constant temperature control heat dissipation and ensuring the core optical components heat dissipation with fiber laser, which are stable and efficient.





Handheld Welding Laser Head

• WOBBLE handheld welding laser head with ergonomic design can be operated easily and persist in working.

Safe Ground Wire

• Workers, machine and instrument are well protected to make sure of no-break work in case of electric leakage.






DC Dual-driven Wire Feeder

• The dual-driven wire feeder performs stably in wire feeding effects.

Machine Foundation 'The marked size has about 10mm error






:::• Cutting Samples



Welding Strength



The actual machines shall prevail and above data & pictures are only for reference

Intelligent Manufacturing Changes Future

As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board

Professional Training

Multiple technical training service and free operation training for customers and dealers in time

Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance

Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees

Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production

Careful Services

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services



Intelligent Manufacturing Changes Future







Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park, Beijiao Town, Shunde District, Foshan, Guangdong, China Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906