

TS 2

Economical and High-speed Tube Laser Cutting Machine

.... Company Culture



Intelligent manufacturing changes future

Q VALUES

Customer-focused and employee-based

VISION

Become a respectable enterprise in the global metal forming equipment field

::: Company Profile



13 Global Branches





100+ Countries Covered



4 Manufacturing Bases



30+ Global Service Outlets



8,000+
Delivery Capability



96,000m² Occupied Area

TS 2 1500-6000W

Economical and High-speed Tube Laser Cutting Machine



Technical Parameters

| Technical Parameter | TS2 |
|--|--|
| Power | 1500-6000W |
| Rotating Speed of Chucks | 100r/min |
| No-load Speed | 100m/min |
| Acceleration | 1G |
| X/Y-axis Positioning Accuracy | ±0.03mm/m |
| X/Y-axis Repositioning Accuracy | ±0.03mm |
| *Tailing Length | Tailings in Single Chuck Clamping Model≥85mm,Tailings in Double-chuck Clamping Model≥195mm |
| Cutting Capacity | Round tubeΦ20 - Φ240mm Square tube□20*20 - □240*240mm Side length:20-240mm |
| Weight of Single Tube | 200kg |
| Overall Dimensions(L*W*H) with Loading Racks | 12500×4700×2500mm |


^{*}Suggested Tube Length in Single Chuck Clamping \leq 500mm, Weight of Tube \leq 5kg

^{*} Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

High Speed and Intelligent for Better Processing

- High Speed and Precise
 High-speed data transmission without time
 delay and strong positional energy control.
- High rotational Speed and Air Velocity
 Bus system and servo motor reduce unproductive time.








X9000 Bus-based Tube Cutting Control System

- Simple Interface
 Clear interface is convenient for users operating and shows cutting data in real time to save time and costs.
- Functional Integration Control
 A number of core functions are showed centrally on the interface to reduce operating steps and users can easily learn to operate.



Rectangular-circle Pneumatic Chucks

- One-key clamping and automatic centering.
- Clamp heavy tube stably by large and constant clamping force.
- Expand clamping range of square tube.
 Φ 240mm round tube , ≤ 240mm square tube








Powerful Functions Make You Never Spend Time Worrying

 Component Real-time Monitoring and Maintenance Alert All components are detected in real time to ensure the stable use and the system is equipped with maintenance alert for careful component management

Tube Splicing Technology

• The operating control offers 50+ kinds of tube splicing patterns, for convenience of subsequent welding, such as splicing of male and female head of square tube, 90° arc splicing, splicing of round tube tee, splicing of cut-through holes, 45° splicing of hexagon, splicing of angle iron and channel steel, etc.






Leapfrog Technique and Flying Cutting Technique

• Peculiar tube cutting techniques make tube cutting more smooth and efficient.

Machine Foundation *The marked size has about 10mm error



::: Cutting Samples


















Cutting Capacity







As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board



Professional Training

Multiple technical training service and free operation training for customers and dealers in time



Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance



Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees



Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production



Careful Services

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services



Intelligent Manufacturing Changes Future



Website



Facebook



Youtube

Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park,

Beijiao Town, Shunde District, Foshan, Guangdong, China

Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906