Version No.: 2023.12





X

High-precision Sheet Fiber Laser Cutting Machine

www.hsglaser.com

Company Culture

Intelligent manufacturing changes future

🕞 VALUES

Customer-focused and employee-based

VISION

Become a respectable enterprise in the global metal forming equipment field

Company Profile



13 Global Branches

100+ Countries Covered



4 Manufacturing Bases



 ∇



8,000+ Delivery Capability





High-precision Sheet Fiber Laser Cutting Machine



Technical Parameters

Technical Parameters	X1212	X2512	X3015	
Power	1500W-6000W	1500W-60000W	3000W-60000W	
Processing format (L*W)	1250mm*1250mm	2470mm*1250mm	3000mm*1500mm	
X/Y-axis positioning accuracy	±0.03mm/m	±0.03mm/m	±0.03mm/m	
X/Y-axis repositioning accuracy	±0.03mm	±0.03mm	±0.03mm	
No-load speed	100m/min	100m/min	120m/min	
Acceleration	1.5G	1.5G	1.0G	

* Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

Bus Control System

• It enables data transmission via EtherCAT bus and features fast speed and stability. This system is easy to be operated and rich in functions. Even green hands can cut high-quality samples.

HSG	the second second second	
	Headabaad	
1 1		terrar i
· · · · ·		
우수수 출 📲 🖆	222222222222222 22222222222222 22222222	
ELSEN		1222

Fully-protective Structure

• Top cover can prevent cutting smoke diffusion and protect work climate from pollution.

Single Push-pull Platform

• The platform makes rear loading possible. Anti-shake clips are installed on both sides of platform to prevent vibration while cutting thin sheet.

Autofocus Laser Cutting Head

• Autofocus can make you easy processing. The users do not need to adjust the focus position manually, because the cutting head can adjust the focus automatically for stable cutting, according to system settings.

Massive Production Database

- Users can invoke cutting technology from the database when cutting sheet of different materials and thickness
- Have multiple thick sheet cutting technologies like air cutting, counterboring technology, perfect finish cut (PFC), lightening-fast piercing, etc.

_		 		a termina	CALCULATION OF THE OWNER	
	Acres 1		and the second	tokat:		
	Arthur		-	Longhi -		
	Month and	4	No.	- Schopel		
	Automatica in the second			Citing to Company		
	ALC: NO.	Rental C	- Trape	10Hight		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Burdiak.	10.000	Micago	- Stinger		TARGET A
	Howard	ALC: NO	in the second	timple:		14 M
		-	Minager.	Street.		
			Alterapie	traingle:		and the second second
		No.	Annual Property lies	- Ninger		
1000	the state		Binger.	Citrate:		1 1 1 E
	Cathorney	wood.	Antopa	tileger.		Barris and State
iner:	Caller Tree	Married Woman	Transfer 1	Advantage .		
	Californi Longi	Name of Street	County .	Figure 444		
			Column.	Tribude:		the second se
1446	Cathor Day		Country	Tribudet.		and the second s
	Index inc.	Sec.	100mm	Trainer Brit		
			Country	Tilling Brit		and a second sec
	and the second second			and the second second		

Professional Nesting Software

- Optimize cutting path to shorten cutting duration.
- Smart typesetting algorithm for the increase of material utilization.

*The marked size has about 10mm error

::: Cutting Samples

The actual machines shall prevail and above data & pictures are only for reference.

Intelligent Manufacturing Changes Future

As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board

Professional Training

Multiple technical training service and free operation training for customers and dealers in time

Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance

Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees

Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production

Careful Services

X

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services

Intelligent Manufacturing Changes Future

Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park, Beijiao Town, Shunde District, Foshan, Guangdong, China Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906